

M6 Circular Optical Cable Fixing Post



Overview

Available in four diameters: 12 mm, 12.7 mm, 25 mm, and 38 mm, these posts offer versatility to accommodate various experimental requirements. Each post features a convenient M4 tapped hole on the top and an M6 tapped hole on the bottom, providing flexibility in. The quick brown fox jumped over the lazy dog.) Choose from our selection of optical posts, including male-female pillar posts, female pillar posts, and more. inner packaging: PP bag, bubble bag, plastic wrap etc. Each post includes a 4-40 (M3) setscrew and features. Thorlabs' Mini-Series Posts are designed to facilitate the integration of our Mini-Series components and accessories into optomechanical setups within a limited space. Half inch diameter stainless steel posts are machined with a 1/4-20 or M6 female thread on one end and. The M-SP-6 Precision Ground, Stainless Steel Optical Post is 12.



Article Content

Optical Cable Fixing Post Fiber Optic Junction Post Hexagonal

Optical Cable Fixing Post Fiber Optic Junction Post Hexagonal Junction Post M5M6 Crimping Nut Horizontal Hole Nut Screw Cap - Enjoy best prices with free shipping vouchers.

Thorlabs · Mini-Series Optical Posts

These Mini-Series Ø6 mm posts, which have a 4-40 (M3) setscrew in one end and a 4-40 (M3) tapped hole in the other end, are manufactured using non-magnetic

Cable Fixing Accessories – Secure Fiber Installations

Why Cable Fixing Accessories Matter in Fiber Optic Installations Fiber optic networks are delicate and sensitive to physical disturbances, which can lead to costly performance issues. Cable

Pillar Post

PLP series stainless steel pillar posts are designed to construct rigid structures in various heights. Diameter of the pillar post is 25mm with precision ground finish.

M-SP-12 Optical Post

M-SP Series Optical Mounting Posts are precision ground 12.7 mm diameter stainless steel optical posts. Each post has an M4 tapped hole in one end and an M6 tapped hole in the other end.

Optical Lens and Filter Mounts

Optical Lens and Filter Mounts ideal for positioning or holding optical lenses and optical filters are available at Edmund Optics.

Specialty 6-, 12-, and 20-mm Posts and Post Holders

Specialty 6-, 12-, and 20-mm Posts and Post Holders Our specialty post holders are the original optomechanical components typically used in Japan. These posts and post holders are in non

M6 Circular Metric Connectors – Mouser

M6 Circular Metric Connectors are available at Mouser Electronics. Mouser offers inventory, pricing, & datasheets for M6 Circular Metric Connectors.

Fiber Optic Sensor Reflective Probe Cable Electronic Component ...

Buy Fiber Optic Sensor Reflective Probe Cable Electronic Component Detection M6 Thread: Optical Sensors - Amazon FREE DELIVERY possible on eligible purchases

Posts and Holders

Post holders are made from aluminum and are equipped with a spring-loaded clamp screw to hold the post in position. The base of the post holders is fitted with a 1/4

M-PS-6E-T Optical Post

The M-PS-6E-T Precision Ground Stainless Steel Optical Post is 25.4 mm diameter with a 152.4 mm height and M6 threads at each end. These posts can be used with the M-PS-1P Peg Adaptor, PS-B

Custom Optical Cable Fixing Posts

High-Quality Material: Our custom optical cable fixing post is made from a variety of materials, including stainless steel, carbon steel, aluminum, brass, copper, and titanium, ensuring durability and

Optical Post Holders and Mounting Bases

Optical post holders mounting bases used in optics and photonics applications are available at Edmund Optics

Optical Mounts, Holders, Adaptors, Posts and Storage

MSE PRO Ø1/2" Series Standard Optical Posts, with M6 External Threads \$ 995 Add to Cart

Ø12mm Optical Post (both M6 tap) Stainless Steel Optical Posts ...

The MP-02 precision ground, stainless steel optical mounting post is 12 mm diameter with a various length of 25 to 300 mm. It has M6 tapped holes in both ends.

TechPowerUp

A rotatable AC inlet adapts to both layouts—rotated outward for easier cable access, or inward in vertical mode to absorb excess cable length inside the chassis. A swiveling cable bracket

Mini-Series Optical Posts

These Mini-Series Ø6 mm posts, which have a 4-40 (M3) setscrew in one end and a 4-40 (M3) tapped hole in the other end, are manufactured using non-magnetic 303 series stainless steel.

MKS Inc.

The 9601-M Patented Cam-Lock Post Holder features an easy-to-use quick-release cam-lock mechanism that distributes a large force evenly against the post. When locked, the post and post

M6 Connectors – Mouser

M6 Connectors are available at Mouser Electronics. Mouser offers inventory, pricing, & datasheets for M6 Connectors.

Optical Posts

Metric Stainless Steel Mounting Posts TECHSPEC® components are designed, specified, or manufactured by Edmund Optics. [Learn More](#)

Optical Mounts, Holders, Adaptors, Posts and Storage

Request a Quote SKU: 1234 Quantity - + Price \$.00 Delete Total Price: \$0.00

Optical Posts | McMaster-Carr

Choose from our selection of optical posts, including male-female pillar posts, female pillar posts, and more. Same and Next Day Delivery.

Metric Stainless Steel Mounting Posts

Each optical post also has a thru-hole to allow an Allen wrench or other tool to rotate the post easily. Thread values are laser engraved on each post for quick

Ø20mm Optical Post (both M6 tap)

The MP-06 precision ground, stainless steel optical mounting post is 20 mm diameter with a various length of 50 to 200 mm. It has M6 tapped holes in both ends.

Pillar Posts

Available in four diameters: 12 mm, 12.7 mm, 25 mm, and 38 mm, these posts offer versatility to accommodate various experimental requirements. Each post features a convenient M4 tapped hole

101.6mm Length, M6 Thread, Post Holder

Post Holders have a unique 3-point contact design that inherently centers our Stainless Steel Optical Mounting Posts more accurately. The three contact pads run the entire inside length of each holder,

Optomechanics | Optics Mount | Thorlabs | C1513_M | 3doptix

"Discover the Thorlabs C1513_M, a Metric Kinematic Optic Mount made from Black Anodized Aluminum. Features M6 adjuster thread, M4 tapped holes, and post mounting screw. Perfect for circular optics

OptoSigma

Post clamps are used to hold in place an optical mount at various positions along an optical post. Optical post collars are used to provide fast and easy rotational adjustment or removal/replacement of optical

M-SP-6 Optical Post

Posts that are 50.8 mm and taller feature a 2.5 mm diameter cross-drilled hole below the M4 end. By inserting a 2 mm hex wrench (or similar tool) into this hole,

M-SP-6 Datasheet

Newport MKS Optical Post, 152.4 mm Height, 12.7 mm Diameter, M4 and M6 Threads
M-SP-6 The M-SP-6 Precision Ground, Stainless Steel Optical Post is 12.7 mm diameter with a length of 152.4 mm.

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.introspec.co.za>

Email: info@introspec.co.za

Phone: +27 73 849 2156

Address: 25 Riebeeck Street, Cape Town, 8001, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

